



BF1609-XXX-200

PREMIA: TD3 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1307-110: AQUATONIK[™] type T/P 1/2" valve and decorative trim
- BF1539-110: 3-way 1/2" diverter and decorative trim (operates 1 or 2 components at a time)
- BF1397-XXX*: Rainhead with 90° wall arm
- 103579-XXX*: 2-jet handshower (2 direct functions and 1 shared function)
- 103576-110: Wallbar
- 101620-XXX: 60" flexible and soft PVC hose
- 102856-110: Wall outlet
- 102871-110: Tub spout

* XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF1609-**110**-200
- Chrome and black: BF1609-150-200

Certifications

The specified model meets or exceeds the following standards;

CSA B125.1 ASME A112.18.1 Intertek ICC A117.1

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





BF1307

AQUATONIK[™] type T/P 1/2" valve and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

Colors (Finishes)

• Chrome : BF1307-110

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1





Packaging

- **Dimensions**: 370 mm x 190 mm x 205 mm
- $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$
- Volume: 0.014 cu m (0.51 cu ft)
- Total weight: 2.48 kg (5.47 lb)

Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



GRAFIKTM



BF1539

3-way 1/2" diverter and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 or 2 components at a time

Colors (Finishes)

• Chrome : BF1539-110

Certifications

The specified model meets or exceeds the following standards;



Packaging

- **Dimensions**: 315 mm x 125 mm x 115 mm (12 ³/₈" x 4 ⁷/₈" x 4 ¹/₂")
- Volume: 0.004 cu m (0.16 cu ft)
- Total weight: 1.22 kg (2.69 lb)

Maximum flow rate

- 1 outlet: 22.5 liters/min.
 (6 gallons/min.) at 60 psi
- 2 outlets: 23.5 liters/min. (6.7 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





BF1397 PREMIA: Rainhead with 90° wall arm SPECIFICATIONS

Features

- Water 1/2" female inlet NPT
- Dimensions: 200 x 319.5 mm (7 7/8"x 12 1/2")
- Anti-scale system with soft sprays
- Adjustable orientation swivel
- 2 direct positions and 1 shared position

Colors (Finishes)

- Chrome : BF1397-110
- Chrome and black : BF1397-150

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

Packaging

- Dimensions: 340 mm x 210 mm x 82 mm (13 1/3" x 8 1/4" x 3 1/4")
- Volume: 0.21 cu ft (0.06 cu m)
- Total weight: 5.60 lb (2.55 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f の ♯



103579 **PREMIA: 2-jet handshower**

SPÉCIFICATIONS

Features

- Dimension: 86 mm (3 3/8")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function
- Plastic construction

Colors (Finishes)

- Chrome: 103579-110
- Black and chrome : 103579-150 •

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1

Packaging

•

- Dimensions: 325 mm x 280 mm x 45 mm (12 3/4" x 11" x 1 3/4")
- Volume: 0.004 cu m (0.14 cu ft)
- Total weight: 0.4 kg (0.88 lb)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





103576 Wallbar for handshower SPECIFICATIONS

Features


- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- Locking system

Colors (Finishes)

• Chrome : 103576-110

Packaging

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- Volume: 0.27 cu ft (0.010 cu m)
- Total weight: 1.54 lb (0.7 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f Ø ♯



102856 Wall Outlet SPÉCIFICATIONS

Features

- Male or female water inlet 1/2NPT
- Male water oulet G1/2
- Solid brass construction

Colors (Finishes)

• Chrome : 102856-110

Certifications

The specified model meets or exceeds the following standards;



Packaging

- Dimensions: 325 mm x 280 mm x 45 mm (12 3/4" x 11" x 1 3/4")
- Volume: 0.004 cu m (0.14 cu ft)
- **Total weight**: 0.4 kg (0.88 lb)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





102871 Tub Spout SPÉCIFICATIONS

Features

- Male water inlet 1/2NPT
- Solid brass construction
- Regular water jet
- High water flow

Colors (Finishes)

• Chrome : 102871-110

Certifications

The specified model meets or exceeds the following standards;



Packaging

- Dimensions: 340 mm x 300 mm x 60 mm (13 3/8" x 11 3/4" x 2 3/8")
- Volume: 0.006 cu m (0.22 cu ft)
- **Total weight**: 0.7 kg (1.54 lb)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

